Neuroscience Letters, 115 (1990) 356–359
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Abele, A.E. and Miller, R.J. Potassium channel activators abolish excitotoxicity in cultured hippocampal pyramidal neurons, 195
Akai, F., Maeda, M., Suzuki, K., Inagaki, S., Takagi, H. and Taniguchi, N., Immunocytochemical localization of manganese superoxide dismutase (Mn-SOD) in the hippcampus of the rat, 19
Akaike, N., see Hara, H., 189
Amaral, D.G., see Suzuki, W.A., 43
Anderton, B., see Doyle, E., 97
Anderton, B.H., see Spargo, E., 345
Arvidson, B. and Arvidsson, J., Retrograde axonal transport of mercury in primary sensory neurons innervating the tooth pulp in the rat, 29
Arvidsson, J., see Arvidson, B., 29
Avoli, M., see Drapeau, C., 286

Beckstead, R.M., see Somers, D.L., 335
Bednar, I., see Forsberg, G., 92
Beer, A., see Wolburg, H., 7
Björklund, P.-E., see Tiger, G., 243
Boegman, R.J., see Nishismura, L.M., 259
Breen, K.C., see Doyle, E., 97
Broer, Y., see Marfaing, P., 279
Bruce, M., see Spargo, E., 345
Bruce, M.T., see Doyle, E., 97
Bureš, J., see Mamedov, Z., 144

Calando, Y., see Marfaing, P., 279
Cammarata, S., Mancardi, G. and Tabaton, M., Formic acid treatment exposes hidden neurofilament and tau epitopes in abnormal cytoskeletal filaments from patients with progressive supranuclear palsy and Alzheimer's hidden neurofilament and tau epitopes in abnormal cytoskeletal filaments from patients with progressive supranuclear palsy and Alzheimer's disease, 351
Campbell, J.N., see Treede. R.-D., 201
Campbell, K.J., see Takada, M., 33
Carlton, S.M., see Klein, C.M., 149
Chevendra, V., see Hayes, K., 55
Choi, D.W., see Rose, K., 313
Christine, C.W., see Rose, K., 313
Coderre, T.J., Gonzales, R., Goldyne, M.E., West, J. and Levine, J.D., Noxious stimulus-induced increase in spinal prostaglandin E2 is noradrenergic terminal-dependent, 253
Coggeshall, R.E., see Klein, C.M., 149
Couraud, F., see Martin-Moutot, N., 300
Crocker, A.D., see Double, K.L., 81

Davis, K.D., see Treede, R.-D., 201
Double, K.L. and Crocker, A.D., Effects of inactivation of D1 dopamine receptors on stereotypic and thermic responses to quinpirole (LY 171555), 81
Doyle, E., Bruce, M.T., Breen, K.C., Smith, D.C., Anderton, B. and Regan, C.M., Intraventricular infusions of antibodies to amyloid-β-protein precursor impair the acquisition of a passive avoidance response in the rat, 97
Drapeau, C., Pellerin, L., Wolfe, L.S. and Avoli, M., Long-term changes of synaptic transmission induced by arachidonic acid in the CA1 subfield of the rat hippocampus, 286

Ekman, P., see Nordling, L., 183
Elazar, Z. and Paz, M., Catalepsy induced by carbachol microinjected into the pontine reticular formation of rats, 226
Eneroth, P., see Forsberg, G., 92
Erdö, S.L., Strychnine protection against excitotoxic cell death in primary cultures of rat cerebral cortex, 341
Ewert, M., see Von Blankenfeld, G., 269
Fagan, E.L., see Harris, C.H., 24
Finger, W., see Wolburg, H., 7
Fitzpatrick-Klove, L., see Vedeler, C.A., 167
Forsberg, G., Bednar, I., Eneroth, P. and Södersten, P., β-Endorphin acts on the reproductive tract of female rats to suppress sexual receptivity, 92
Fowler, C.J., see Tiger, G., 243
Friedman, E.K., see Massari, V.J., 37
Furness, J.B., see Kuramaoto, H., 68

Gallombardo, P., see Ventimiglia, R., 131
Gatti, P.J., see Massari, V.J., 37
Geller, H.M., see Ventimiglia, R., 131
Gibbens, I.L., see Kuramaoto, H., 68
Gillin, J.C., see Valzquez-Moctezuma, J., 265
Gillis, R.A., see Massari, V.J., 37
Goldyne, M.E., see Coderre, T.J., 253
Gonzales, R., see Coderre, T.J., 253
Grierson, J.P., see Ventimiglia, R., 131

Hammer Jr. R.P., see Ricalde, A.A., 137
Hara, H., Onodera, H., Kogure, K. and Akaike, N., The regional difference of neuronal susceptibility in the dentate gyrus to hypoxia, 189
Hara, N., see Sawada, M., 219
Harris, C.H., Fagan, E.L., Shew, R.L., Kammerlocher, T.C. and McNeill, D.L., MK-801-induced sprouting by CGRP immunoreactive

primary afferent fibers in the dorsal spinal cord of the rat, 24
Hattori, T., see Takada, M., 33
Hayes, K., Chevendra, V. and Weaver, L.C., Pre- and postganglionic sympathetic activity in white rami of rats, 55
Hietanen, M., Koistinaho, J., Rechardt, L., Roivainen, R. and Pelto-Huikko, M., Immunohistochemical evidence for the presence of protein kinase C β-subtype in rat motoneurons and myoneural junctions, 126
Higashima, M., Sawada, S. and Yamamoto, C., Applicability of Pascal distribution to quantal analysis for non-stationary release of neurotransmitter, 231
Hill, D.R., see Rijnhout, I., 323
Hornby, P.J., see Massari, V.J., 37
Hunt, A. and Patel, A.J., Quinolinic acid promotes the biochemical differentiation of cerebellar granule neurons, 318

Imai, S., see Onozuka, M., 49
Inagaki, S., see Akai, F., 19
Ino, T., Matsuzaki, S., Ohishi, J., Ogawa-Meguro, R. and Mizuno, N., Direct projections of non-pyramidal neurons of Ammon's horn to the amygdala and the entorhinal cortex, 161
Ishikawa, T., see Tani, E., 171
Ishiura, S., Nishikawa, T., Tsukahara, T., Momoi, T., Ito, H., Suzuki, K. and Sugita, H., Distribution of Alzheimer's disease amyloid A4-generating enzymes in rat brain tissue, 329
Ito, H., see Ishiura, S., 329

Jaworksa, L., see Przegalinski, E., 86

Kammerlocher, T.C., see Harris, C.H., 24
Kavaliers, M., Inhibitory influences of mammalian FMRFamide (Phe-Met-Arg-Phe-amide)-related peptides on nociception and morphine and stress-induced analgesia in mice, 307
Kayahara, T., see Yasui, Y., 121
Kettenmann, H., see Von Blankenfeld, G., 269
Klein, C.M., Coggeshall, R.E., Carlton, S.M., Westlund, K.N. and Sorkin, L.S., Changes in calcitonin gene-related peptide immunoreactivity in the rat dorsal horn following electrical stimulation of the sciatic nerve, 149
Kogure, K., see Hara, H., 189
Koistinaho, J., see Hietanen, M., 126
Konarska, R., see Przegalinski, E., 86
Konopka, L.M., see Parsons, R.L., 207
Kovalchuk, Yu.N., Kirshtal, O.A. and Nowycky, M.C., The proton-activated inward current of rat sensory neurons includes a calcium component, 237
Krishtal, O.A., see Kovalchuk, Yu.N., 237
Kuga, Y., see Yasui, Y., 121
Kuramaoto, H., Furness, J.B. and Gibbins, I.L., Calbindin immunoreactivity in sensory and autonomic ganglia in the guinea pig, 68

Lantos, P.L., see Spargo, E., 345
Levine, J.D., see Coderre, T.J., 253
Liedberg, H., see Nordling, L., 183
Lindefors, N. and Ungerstedt, U., Bilateral regulation of glutamate tissue and extracellular levels in caudate-putamen by midbrain dopamine neurons, 248
Lucas-Heron, B., Schmitt, N. and Ollivier, B., Calmitine: a calcium-binding mitochondrial protein specific for fast-twitch muscle fibers, 103
Lundeberg, T., see Nordling, L., 183
Luthert, P.J., see Spargo, E., 345

Maeda, M., see Akai, F., 19
Maeno, T., see Sawada, M., 219
Mamedov, Z. and Bureš, J., Differential control of operant and consummatory licking in rats, 144
Mancardi, G., see Cammarata, S., 351
Marfaing, P., Penicaud, L., Broer, Y., Mraovitch, S., Calando, Y. and Picon, L., Effects of hyperinsulinemia on local cerebral insulin binding and glucose utilization in normoglycemic awake rats, 279
Martin-Moutot, N., Seagar, M. and Couraud, F., Subtypes of voltage-sensitive calcium channels in cultured rat brain neurons, 300
Maruno, M. and Yanagihara, T., Progressive loss of messenger RNA and delayed neuronal death following transient cerebral ischemia in gerbils, 155
Massari, V.J., Hornby, P.J., Friedman, E.K., Milner, T.A., Gillis, R.A. and Gatti, P.J., Distribution of neuropeptide Y-like immunoreactive perikarya and processes in the medulla of the cat, 37
Matsuzaki, S., see Ino, T., 161
McNeill, D.L., see Harris, C.H., 24
Meyer, R.A., see Treede, R.-D., 201
Middlemiss, D.N., see Rijnhout, I., 323
Miller, R.J., see Abele, A.E., 195
Milner, T.A., see Massari, V.J., 37
Miura, M., see Saji, M., 177
Mizuno, N., see Ino, T., 161
Momoi, T., see Ishiura, S., 329
Moriizumi, T., see Takada, M., 33
Mraovitch, S., see Marfaing, P., 279

Nakano, K., see Yasui, Y., 121
Negishi, K. and Teranishi, T., Close tip-to-tip contacts between dendrites of transient amacrine cells in carp retina, 1
Nishikawa, T., see Ishiura, S., 329
Nishismura, L.M. and Boegman, R.J., *N*-Methyl-D-aspartate-evoked release of acetylcholine from the medial septum/diagonal band of rat brain, 259
Nordling, L. Liedberg, H., Ekman, P. and Lundeberg, T., Influence of the nervous system on experimentally induced urethral inflammation, 183
Nowycky, M.C., see Kovalchuk, Yu.N., 237

Ogawa-Meguro, R., see Ino, T., 161
Ohishi, H., see Ino, T., 161
Ollivier, B., see Lucas-Heron, B., 103
Onodera, H., see Hara, H., 189
Onozuka, M., Imai, S., Ozono, S. and Sugimura, Y., A specific 70 kDa protein induced in the epileptogenic cortex of rats elicits bursting activity and inactivation of potassium current in snail neurons, 49
Ozono, S., see Onozuka, M., 49

Pager, J., see Ravel, N., 213
Palacios, G., A double immunocytochemical and histochemical technique for demonstration of cholinergic neurons and microglial cells in basal forebrain and neostriatum of the rat, 13
Parsons, R.L. and Konopka, L.M., Galanin-induced hyperpolarization of mudpuppy neurons is calcium dependent, 207
Patel, A.J., see Hunt, A., 318
Paz, M., see Elazar, Z., 226
Pellerin, L., see Drapeua, C., 286
Pelto-Huikko, M., see Hietanen, M., 126
Penicaud, L., see Marfaing, P., 279
Peterson, C., Tetrahydroaminoacridine increases acetylcholine synthesis and glucose oxidation by mouse brain slices in vitro, 274
Picon, L., see Marfaing, P., 279
Pranzatelli, M.R., Evidence for involvement of 5-HT_2 and 5-HT_{1C} receptors in the behavioral effects of the 5-HT agonist 1-(2,5-dimethoxy-4-iodophenyl aminopropane)-2 (DOI), 74
Pritchett, D.B., see Von Blankenfeld, G., 269
Przegalinski, E., Jaworksa, L. and Konarska, R., Repeated treatment with amitryptiline or electroconvulsive shock does not affect thyrotropin releasing hormone receptors in discrete rat brain structures, 86

Ransom, B.R., see Stys, P.K., 293
Ravel, N. and Pager, J., Respiratory patterning of the rat olfactory bulb unit activity: nasal versus tracheal breathing, 213
Rechardt, L., see Hietanen, M., 126
Regan, C.M., see Doyle, E., 97
Ricalde, A.A. and Hammer Jr, R.P., Perinatal opiate treatment delays growth of cortical dendrites, 137
Rijnhout, I., Hill, D.R. and Middlemiss, D.N., Failure of ω-conotoxin to block L-channels associated with [3H]5-HT release in rat brain slices, 323
Roivainen, R., see Hietanen, M., 126
Rose, K., Christine, C.W. and Choi, D.W., Magnesium removal induces paroxysmal neuronal firing and NMDA receptor-mediated neuronal degeneration in cortical cultures, 313

Saji, M. and Miura, M., Evidence that glutamate is the transmitter mediating respiratory drive from medullary premotor neurons to phrenic motoneurons: a double labeling study in the rat, 177
Sato, M., see Tani, E., 171
Sawada, M., Hara, N. and Maeno, T., Extracellular tumor necrosis factor induces a decreased K^+ conductance in an identified neuron of *Aplysia kurodai*, 219
Sawada, S., see Higashima, M., 231
Schmitt, N., see Lucas-Heron, B., 103
Seagar, M., see Martin-Moutot, N., 300
Seeburg, P.H., see Von Blankenfeld, G., 269
Seltzer, Z., see Shir, Y., 62
Shalauta, M.D., see Valzquez-Moctezuma, J., 265
Shew, R.L., see Harris, C.H., 24
Shiosaka, S., see Tani, E., 171
Shir, Y. and Seltzer, Z., A-fibers mediate mechanical hyperesthesia and allodynia and C-fibers mediate thermal hyperalgesia in a new model of causalgiform pain disorders in rats, 62
Shiromani, P.J., see Valzquez-Moctezuma, J., 265
Smith, D., see Spargo, E., 345
Smith, D.C., see Doyle, E., 97
Södersten, P., see Forsberg, G., 92
Somers, D.L. and Beckstead, R.M., Chronic methionine sulfoximine administration reduces synaptosomal aspartate and glutamate in rat striatum, 335
Sontheimer, H., see Von Blankenfeld, G., 269
Sorkin, L.S., see Klein, C.M., 149
Spargo, E., Luthert, P.J., Anderton, B.H., Bruce, M., Smith, D. and Lantos, P.L., Antibodies raised against different portions of A4 protein identify a subset of plaques in Down's syndrome, 345

Stys, P.K., Ransom, B.R. and Waxman, S.G., Effects of polyvalent cations and dihydropyridine calcium channel blockers on recovery of CNS white matter from anoxia, 293
Sugimura, Y., see Onozuka, M., 49
Sugita, H., see Ishiura, S., 329
Suzuki, K., see Akai, F., 19
Suzuki, K., see Ishiura, S., 329
Suzuki, W.A. and Amaral, D.G., Cortical inputs to the CA1 field of the monkey hippocampus originate from the perirhinal and parahippocampal cortex but not from area TE, 43
Sweetnam, P.M., see Ventimiglia, R., 131

Tabaton, M., see Cammarata, S., 351
Takada, M., Campbell, K.J., Moriizumi, T. and Hattori, T., On the origin of the domaminergic innervation of the paraventricular thalamic nucleus, 33
Takagi, H., see Akai, F., 19
Tallman, J.F., see Ventimiglia, R., 131
Tani, E., Shiosaka, S., Sato, M., Ishikawa, T. and Tohyama, M., Histamine acts directly on calcitonin gene-related peptide- and substance P-containing trigeminal ganglion neurons as assessed by calcium influx and immunocytochemistry, 171
Taniguchi, N., see Akai, F., 19
Teranishi, T., see Negishi, K., 1
Tiger, G., Björklund, P.-E. and Fowler, C.J., Differential enhancement by potassium ions of M_1-type and M_2-type miscarinic receptor-mediated phosphoinositide breakdown in the rat brain, 243
Tohyama, M., see Tani, E., 171
Treede, R.-D., Meyer, R.A., Davis, K.D. and Campbell, J.N., Intradermal injections of bradykinin or histamine cause a flare-like vasodilatation in monkey. Evidence from laser Doppler studies, 201
Tsukahara, T., see Ishiura, S., 329

Ungerstedt, U., see Lindefors, N., 248

Valzquez-Moctezuma, J., Shalauta, M.D., Gillin, J.C. and Shiromani, P.J., Microinjections of nicotine in the medial pontine reticular formation elicits REM sleep, 265
Vedeler, C.A. and Fitzpatrick-Klove, L., Receptors for immunoglobulin G demonstrated on human peripheral nerve fibres by electron microscopy, 167
Ventimiglia, R., Grierson, J.P., Gallombardo, P., Sweetnam, P.M., Tallman, J.F. and Geller, H.M., Cultured rat neurons and astrocytes express immunologically related epitopes of the $GABA_A$ benzodiazepine receptor, 131
Von Blankenfeld, G., Ymer, S., Pritchett, D.B., Sontheimer, H., Ewert, M., Seeburg, P.H. and Kettenmann, H., Differential benzodiazepine pharmacology of mammalian recombinant $GABA_A$ receptors, 269

Waxman, S.G., see Stys, P.K., 293
Weaver, L.C., see Hayes, K., 55
West, J., see Coderre, T.J., 253
Westlund, K.N., see Klein, C.M., 149
Wolburg, H., Beer, A. and Finger, W., Quantal secretion and loss of vesicles induced by veratridine at the crayfish neuromuscular junction, 7
Wolfe, L.S., see Drapeau, C., 286

Yamamoto, C., see Higashima, M., 231
Yanagihara, T., see Maruno, 155
Yasui, Y., Kayahara, T., Kuga, Y. and Nakano, K., Direct projections from the globus pallidus to the inferior colliculus in the rat, 121
Ymer, S., see Von Blankenfeld, G., 269

CONTENTS *(continued from back cover)*

Extracellular tumor necrosis factor induces a decreased K^+ conductance in an identified neuron of *Aplysia kurodai*
M. Sawada, N. Hara and T. Maeno (Japan) 219
Catalepsy induced by carbachol microinjected into the pontine reticular formation of rats
Z. Elazar and M. Paz (Israel) 226
Applicability of Pascal distribution to quantal analysis for non-stationary release of neurotransmitter
M. Higashima, S. Sawada and C. Yamamoto (Japan) 231
The proton-activated inward current of rat sensory neurons includes a calcium component
Yu.N. Kovalchuk, O.A. Krishtal and M.C. Nowycky (U.S.S.R., U.S.A.) 237